EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	0	"*****110916 PGPUB"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	ON	2011/09/16 13:44
S2	2	"US 20110001632"	US-PGPUB; USPAT; USOCR; DERWENT	OR	ON	2011/09/16 13:44
83	0	****** 110919 Inventor"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR		2011/09/19 14:37
S4	615	(((m marcus) NEAP2 escobosa) ((j james) NEAP2 conway) ((p patrick) NEAP2 hayes)).IN.	US-PGPUB; USPAT; USOCR	OR	ON	2011/09/19 14:39
S5	127	S4 AND (control).AB.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	ON	2011/09/19 14:40
S6	85	S4 AND (remote AND control) AB.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	ON	2011/09/19 14:40
S7	0	"**** 110919 assignee"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	ON	2011/09/19 14:41
S8	394	(universal ADJ electronics). AS:	US-PGPUB; USPAT; USOCR; FPRS; EPO;	OR	ON	2011/09/19 14:42

			JPO			
S9	178	SS AND (remote AND control).AB.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	ON	2011/09/19 14:42
S10	185	S6 OR S9	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	ON	2011/09/19 14:42
S11	78	S6 AND S9	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	ON	2011/09/19 14:42
S12	142	S4 AND S8	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	ON	2011/09/19 15:16
S13	867	S4 S8	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	ON	2011/09/19 15:16
S14	164	S13 AND (remote NEAP2 control).CLM.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	ON	2011/09/19 15:17
	132	S13 AND (remote NEAP2 control).CLM. AND command.CLM.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	ON	2011/09/19 15:17
S16		(US-20110102131-\$ or US-20110093814-\$ or US- 20110018693-\$ or US-20100281066-\$ or US-20100157171-\$ or US-20070271267-\$ or US-20070063860-\$ or US- 20060259864-\$ or US-20030189509-\$ or US-20030151538-\$ or US-20030141987-\$).did. or (US-7653212-\$ or US-7218243-\$ or US-7046161-\$ or US-6785579-\$).did.	USPAT	OR	ON	2011/09/19 15:52
S17	0	"***** 110919 IDS"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	ON	2011/09/19 16:22

S18	4	US-8123056-\$.DID. OR US-5959539-\$.DID. OR US-5646608- \$.DID.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2011/09/19 16:23
S19	1	"0139150"	DERWENT	OR	ON	2011/09/19 16:26
S20	1	"6909378".pn.	DERWENT	OR	ON	2011/09/19 16:35
S21	1	"6909378".pn.	US-PGPUB; USPAT; USOCR	OR	ON	2011/09/19 16:35
S22	2	US-8123056-\$.DID. OR US-6127941-\$.DID.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2011/09/19 16:37
S23	1	"0154292"	DERWENT	OR	ON	2011/09/19 16:39
S24	1	"7562128".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	ON	2011/09/19 16:40
S25	0	"***** 110919 Keyword"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	ON	2011/09/19 17:20
S26	199277	"340" CLAS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	ON	2011/09/19 17:32
S27	3	№ AND ("remote control" AND ir).TI.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	ON	2011/09/19 17:33
S28	43	S26 AND ("remote control" AND ir).AB.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	ON	2011/09/19 17:33
S29		****** 110919 Class combinations*	LICDAT	OR	ON	2011/09/19 17:36

			USOCR; FPRS; EPO; JPO			
S30	7926	(455/151.1-151.2 725/37 345/156).OCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	ON	2011/09/19 17:37
S31	95	(340/825.22).OCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	ON	2011/09/19 17:38
S32	3725	(340/12.1-12.29).OOLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO		ON	2011/09/19 17:39
533	11686	\$30 \$31 \$32	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	ON	2011/09/19 17:40
S34	988	\$33 AND ("remote control").AB.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	ON	2011/09/19 17:41
S35	8	((display show indicate) NEAR3 (required needed available necessary) NEAR5 (memory space capacity)) AND S34	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	ON	2011/09/19 17:43
S36	124	((display show indicate) NEAR3 (required needed available necessary sufficient insufficient) NEAR5 (memory space capacity)) AND S33	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	ON	2011/09/19 17:47
\$43	0	download SAME ((key keyboard button control) NEAR2 (layout pattern)) SAME ((memory ADJ (card stick module fob)) "thumb drive")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO		ON	2011/09/20 08:39
S44	16	(download transfer install load) SAME ((key keyboard button control) NEAR2 (layout pattern)) SAME ((memory ADJ (card stick module fob)) "thumb drive")	US-PGPUB; USPAT; USOOR; FPRS; EPO;		ON	2011/09/20 08:40

L		JPO			
7936	(455/151.1-151.2 725/37 345/156).OOLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	ON	2011/09/20 08:46
95	(340/825.22).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	ON	2011/09/20 08:46
3725	(340/12.1-12.29).OCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	ON	2011/09/20 08:46
11696	S45 S46 S47	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	ON	2011/09/20 08:46
163	(download transfer install load) SAME ((memory ADJ (card stick module fob)) "thumb drive") AND S48	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	ON	2011/09/20 08:46
48	(download transfer install load) WITH ((memory ADJ (card stick module fob)) "thumb drive") AND S48	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	ON	2011/09/20 08:46
56	(download transfer install load) WITH (((memory flash) ADJ (card stick module fob)) "thumb drive" pcmcia) AND S48	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	ON	2011/09/20 08:56
8	\$51 NOT \$50	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	ON	2011/09/20 08:56
1	((key keyboard button control) NEAR2 (layout pattern)) WITH (((memory flash) ADJ (card stick module fob)) "thumb drive" pomcia) AND S48	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	ON	2011/09/20 08:58
	7936 95 3725 11696 48 8	7936 (455/151.1-151.2 725/37 345/156).OCLS. 95 (340/825.22).CCLS. 11696 S45 S46 S47 163 (download transfer install load) SAME ((memory ADJ (card stick module fob)) "thumb drive") AND S48 48 (download transfer install load) WITH ((memory ADJ (card stick module fob)) "thumb drive") AND S48 56 (download transfer install load) WITH (((memory flash) ADJ (card stick module fob)) "thumb drive" pemcia) AND S48 8 S51 NOT S50 1 (((key keyboard button control) NEAR2 (layout pattern)) WITH (((memory flash) ADJ (card stick module fob)) "thumb drive" pemcia) AND S48	7936 (455/151.1-151.2 725/37 345/156).OCLS. US-PGPUB; USPAT; USOOR; PRS; EPO; JPO 95 (340/825.22).OCLS. US-PGPUB; USPAT; USOOR; PRS; EPO; JPO 3725 (340/12.1-12.29).OCLS. US-PGPUB; USPAT; USOOR; PRS; EPO; JPO 1163 (download transfer install load) SAME ((memory ADJ (card stick US-PGPUB; USPAT; USOOR; PRS; EPO; JPO 163 (download transfer install load) SAME ((memory ADJ (card stick US-PGPUB; USPAT; USOOR; PRS; EPO; JPO 48 (download transfer install load) WITH ((memory ADJ (card stick US-PGPUB; USPAT; USOOR; PRS; EPO; JPO 56 (download transfer install load) WITH (((memory flash) ADJ (card stick module fob)) "thumb drive") AND S48 56 (download transfer install load) WITH (((memory flash) ADJ US-PGPUB; USPAT; USOOR; PRS; EPO; JPO 8 S51 NOT S50 US-PGPUB; USPAT; USOOR; PRS; EPO; JPO 1 (((key keyboard button control) NEAP2 ((ayout pattern)) WITH US-PGPUB; USPAT; USOOR; PRS; EPO; JPO 1 ((key keyboard button control) NEAP2 ((ayout pattern)) WITH US-PGPUB; USPAT; USOOR; PRS; EPO; JPO 1 ((key keyboard button control) NEAP2 ((ayout pattern)) WITH US-PGPUB; USPAT; USOOR; PRS; EPO; JPO	7936 (455/151.1-151.2 725/37 345/156).OCJ.S. US PGPUB, USPAT; USCOR, PRS, EPO. JPO 95 (340/825.22).OCJ.S. US PGPUB, OR USPAT; USCOR, PRS, EPO. JPO 3725 (340/12.1-12.29).OCJ.S. US PGPUB, OR USPAT; USCOR, PRS, EPO. JPO 11696 S45 S46 S47 US PGPUB, OR USPAT; USCOR, PRS, EPO. JPO 163 (download transfer install load) SAME ((memory ADJ (card stick US PGPUB, DOR USPAT); USCOR, PRS, EPO. JPO 48 (download transfer install load) WITH ((memory ADJ (card stick US PGPUB, DOR USPAT); USCOR, PRS, EPO. JPO 48 (download transfer install load) WITH ((memory flash) ADJ US PGPUB, DOR USPAT); USCOR, PRS, EPO. JPO 56 (download transfer install load) WITH ((memory flash) ADJ US PGPUB, DOR USPAT); USCOR, PRS, EPO. JPO 8 S51 NOT S50 US PGPUB, OR USPAT; USCOR, PRS, EPO. JPO 1 ((key keyboard button control) NEAP2 (layout pattern)) WITH (USPAT; USCOR, PRS, EPO. JPO 1 ((key keyboard button control) NEAP2 (layout pattern)) WITH (USPAT; USCOR, PRS, EPO. JPO) 1 ((key keyboard button control) NEAP2 (layout pattern)) WITH (USPAT; USCOR, PRS, EPO. JPO) 1 ((key keyboard button control) NEAP2 (layout pattern)) WITH (USPAT; USCOR, PRS, EPO. JPO) 1 ((key keyboard button control) NEAP2 (layout pattern)) WITH (USPAT; USCOR, PRS, EPO. JPO)	7936 (455/151.1-151.2 725/37 345/156).CCLS. US-PGPUB; OR USPAT; USCOR; PFPS, EPC; JPO 3725 (340/12.1-12.29).CCLS. US-PGPUB; OR USPAT; USCOR; PFPS, EPC; JPO 3725 (340/12.1-12.29).CCLS. US-PGPUB; OR USPAT; USCOR; PFPS, EPC; JPO 11636 S45 S46 S47 US-PGPUB; OR USPAT; USCOR; PFPS, EPC; JPO 11637 (download transfer install load) SAME ((memory ADJ (card stick US-PGPUB; OR USPAT; USCOR; PFPS, EPC); JPO 48 (download transfer install load) WITH ((memory ADJ (card stick US-PGPUB; OR USPAT; USCOR; PFPS, EPC); JPO 56 (download transfer install load) WITH ((memory fash) ADJ (card stick US-PGPUB; OR USPAT; USCOR; PFPS, EPC); JPO 56 (download transfer install load) WITH ((memory fash) ADJ US-PGPUB; OR USPAT; USCOR; PFPS, EPC); JPO 56 (download transfer install load) WITH ((memory fash) ADJ US-PGPUB; OR USPAT; USCOR; PFPS, EPC); JPO 57 ((card stick module fob)) "thumb drive" pcmcia) AND S48 USPAT; USCOR; PFPS, EPC; JPO 1 ((key keyboard button control) NEAP2 (layout pattern)) WITH US-PGPUB; OR USPAT; USCOR; PFPS, EPC); JPO 1 ((key keyboard button control) NEAP2 (layout pattern)) WITH US-PGPUB; OR USPAT; USCOR; PFPS, EPC); JPO 1 ((key keyboard button control) NEAP2 (layout pattern)) WITH US-PGPUB; OR USPAT; USCOR; PFPS, EPC); JPO 1 ((key keyboard button control) NEAP2 (layout pattern)) WITH US-PGPUB; OR USPAT; USCOR; PFPS, EPC); JPO 1 (Vertical description of the product pattern) WITH USPAT; USCOR; PFPS, EPC); JPO 1 (Vertical description of the product pattern) WITH USPAT; USCOR; PFPS, EPC); JPO 2 (Vertical description of the product pattern) WITH USPAT; USCOR; PFPS, EPC); JPO 3 (Vertical description of the product pattern) WITH USPAT; USCOR; PFPS, EPC); JPO 4 (Vertical description of the product pattern) WITH USPAT; USCOR; PFPS, EPC); JPO 4 (Vertical description of the product pattern) WITH USPAT; USCOR; PFPS, EPC); JPO 4 (Vertical description of the product pattern) WITH USPAT; USCOR; PFPS, EPC); JPO 4 (Vertical description of the product pattern) WITH USPAT; USCOR; PFPS, EPC); JPO 4 (Vertical descrip

	75	(((memory flash) ADJ (card stick module fob)) "thumb drive" pomcia) AND S48	USPAT; USOCR; FPRS; EPO; JPO			08:59
S56	243	((key keyboard button control) NEAR2 (layout pattern)) SAME (((memory flash) ADJ (card stick module fob)) "thumb drive" pomcia)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	ON	2011/09/20 09:06
S57	108	((key keyboard button control) NEAR2 (layout pattern)) WITH (((memory flash) ADJ (card stick module fob)) "thumb drive" pomcia)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	ON	2011/09/20 09:07

EAST Search History (Interference)

Ref #	Hits	Search Query	31	Default Operator	Plurals	Time Stamp
S59		(remote AND (download load install transfer) AND (command assignment) AND functions AND (key keyboard button control)).CLM.	USPAT; UPAD	OR	ON	2011/09/20 10:02
S60	2	(remote AND (download load install transfer) AND (command assignment) AND functions AND (key keyboard button control)).CLM. AND "S33"	USPAT; UPAD	OR	ON	2011/09/20 10:02
S61	108	((remote ADJ control) AND (download load install transfer) AND (command assignment) AND functions AND (key keyboard button control)).CLM.	USPAT; UPAD	OR	ON	2011/09/20 10:04
S62	3	(remote AND (download load install transfer) AND (command assignment) AND function AND (key keyboard button control)).CLM.	USPAT; UPAD	OR	ON	2011/09/20 10:05
S63	1	((remote ADJ control) AND (program configure assign) AND (type brand model)).CLM.	USPAT; UPAD	OR	ON	2011/09/20 10:15
S64		((remote ADJ control) AND (program configure assign) AND (type brand model)) AND (load download transfer).CLM.	USPAT; UPAD	OR	ON	2011/09/20 10:16
S65		((remote ADJ control) AND (program configure assign) AND (type brand model) AND (load download transfer)).CJM.	USPAT; UPAD	OR	ON	2011/09/20 10:17

9/20/2011 5:41:27 PM

C:\ Users\ sburgdorf\ Documents\ EAST\ Workspaces\ 09-615473-ESCOBOSA.wsp